

Comparing Community Structure to Characteristics in Online Collegiate Social Networks*

Amanda L. Traud[†]

Eric D. Kelsic[‡]

Peter J. Mucha[§]

Mason A. Porter[¶]

Abstract. We study the structure of social networks of students by examining the graphs of Facebook “friendships” at five U.S. universities at a single point in time. We investigate the community structure of each single-institution network and employ visual and quantitative tools, including standardized pair-counting methods, to measure the correlations between the network communities and a set of self-identified user characteristics (residence, class year, major, and high school). We review the basic properties and statistics of the employed pair-counting indices and recall, in simplified notation, a useful formula for the z -score of the Rand coefficient. Our study illustrates how to examine different instances of social networks constructed in similar environments, emphasizes the array of social forces that combine to form “communities,” and leads to comparative observations about online social structures, which reflect offline social structures. We calculate the relative contributions of different characteristics to the community structure of individual universities and compare these relative contributions at different universities. For example, we examine the importance of common high school affiliation at large state universities and the varying degrees of influence that common major can have on the social structure at different universities. The heterogeneity of the communities that we observe indicates that university networks typically have multiple organizing factors rather than a single dominant one.

Key words. networks, community structure, contingency tables, pair counting

AMS subject classifications. 91D30, 62H17, 82-08, 91-08

DOI. 10.1137/080734315

*Received by the editors September 4, 2008; accepted for publication (in revised form) August 25, 2010; published electronically August 5, 2011.

<http://www.siam.org/journals/sirev/53-3/73431.html>

[†]Carolina Center for Interdisciplinary Applied Mathematics, Department of Mathematics, University of North Carolina, Chapel Hill, NC 27599-3250, and Carolina Population Center, University of North Carolina, Chapel Hill, NC 27516-2524. The research of this author was funded by the NSF through the UNC AGEF (NSF HRD-0450099) and by the UNC ECHO program.

[‡]Department of Systems Biology, Harvard Medical School, Harvard University, Boston, MA 02115. This author’s primary contributions to this project were funded by Caltech’s Summer Undergraduate Research Fellowship (SURF) program.

[§]Carolina Center for Interdisciplinary Applied Mathematics, Department of Mathematics, University of North Carolina, Chapel Hill, NC 27599-3250, and Institute for Advanced Materials, Nanoscience & Technology, University of North Carolina, Chapel Hill, NC 27599-3216. The research of this author was funded by the NSF (DMS-0645369) and by start-up funds provided by the Institute for Advanced Materials, Nanoscience & Technology, and the Department of Mathematics at the University of North Carolina at Chapel Hill.

[¶]Oxford Centre for Industrial and Applied Mathematics, Mathematical Institute, University of Oxford, OX1 3LB, UK, and CABDyN Complexity Centre, University of Oxford, OX1 1HB, UK. This author did some work on this project while a member of the Center for the Physics of Information at Caltech and also acknowledges a research award (220020177) from the James S. McDonnell Foundation.

I. Introduction. Social networks are a ubiquitous part of everyday life. Although they have long been studied by social scientists [37], mainstream awareness of their ubiquity has arisen only recently, in part because of the rise of social networking sites (SNSs) on the World Wide Web. Since their introduction, SNSs such as Friendster, MySpace, Facebook, Orkut, LinkedIn, and many others have attracted hundreds of millions of users, many of whom have integrated SNSs into their daily lives to communicate with friends, send e-mails, solicit opinions or votes, organize events, spread ideas, find jobs, and more [2]. Facebook, an SNS launched in February 2004, now overwhelms numerous aspects of everyday life, having become an especially popular obsession among college and high school students (and, increasingly, among other members of society) [1, 2, 23, 25]. Facebook members can create self-descriptive profiles that include links to the profiles of their “friends,” who may or may not be offline friends. Facebook requires that anybody who one wants to add as a friend confirm the relationship, so Facebook friendships define a network (graph) of reciprocated ties (undirected edges) that connect individual users.

The global organization of real-world networks typically includes coexisting modular (horizontal) and hierarchical (vertical) organizational structures [5, 8, 28, 30, 33]. Myriad papers have attempted to interpret such organization through the computation of structural modules or *communities* [8, 33], which are defined in terms of mesoscopic groups of nodes with more internal connections (between nodes in the group) than external connections (between nodes in the group and nodes in other groups). Such communities, which are not typically identified in advance, are often expected to have functional importance because of the large number of common ties among nodes in a community. Additionally, empirical studies have observed some correspondence between communities and “ground truth” groups in social and biological networks [33]. For example, communities in social networks might correspond to circles of friends or business associates, communities in the World Wide Web might encompass pages on closely related topics, communities in metabolic networks have been used to find functional modules [15], and communities have been used to identify and measure political polarization in legislative processes in the U.S. Congress [38, 39].

As discussed at length in two recent review articles [8, 33] and references therein, the classes of techniques available to detect communities are both numerous and diverse. They include hierarchical clustering methods such as single linkage clustering, centrality-based methods, local methods, optimization of quality functions such as modularity and similar quantities, spectral partitioning, likelihood-based methods, and more. In addition to remarkable successes on benchmark examples, investigations of community structure have led to success stories in diverse application areas—including the reconstruction of college football conferences [11] and the investigation of such structures in algorithmic rankings [6]; the analysis of committee assignments [32], legislation cosponsorship [39], and voting blocs [38] in the U.S. Congress; the examination of functional groups in metabolic networks [15]; the study of ethnic preferences in school friendship networks [13]; and the study of social structures in mobile phone conversation networks [31].

In this paper, we investigate the community structures of complete Facebook networks whose links represent reciprocated “friendships” between user pages (nodes) for each of five U.S. universities during a single-time snapshot in September 2005. Our primary aim in this paper is to use an unsupervised algorithm to compute the community structure—consisting of clusters of nodes—of these universities and to determine how well the demographic labels included in the data correspond to algorithmically computed clusters. We consider only ties between students at the same institution,

yielding five separate realizations of university social networks and allowing us to compare the structures at different institutions.

The rest of this paper is organized as follows. In section 2, we describe our principal methods: the employed community-detection method, visual exploration of identified communities, and standardized pair-counting methods for quantitative comparison of communities with demographic data. We present more details about the data in section 3. We then describe and discuss the results that we obtained for the five institutions in section 4 before concluding in section 5.

2. Comparing Communities. A social network with a single type of connection between nodes can be represented using an adjacency matrix A whose elements A_{ij} give the weight of the tie between nodes i and j . The Facebook networks we study are unweighted, so $A_{ij} \in \{0, 1\}$, where the value is 1 if a tie exists and 0 if it does not. The resulting tangle of nodes and links, which we show for the California Institute of Technology (Caltech) Facebook network in Figure 2.1, can obfuscate any organizational structure that might be present.




Fig. 2.1 (Left) A Fruchterman–Reingold visualization [10] of the largest connected component of the Caltech Facebook network. Node shapes and colors indicate House affiliation (gray dots denote users who did not identify an affiliation), and the edges are randomly shaded for easy viewing. (Right) Magnification of a portion of the network. Clusters of nodes with the same color/shape suggest that House affiliation affects the existence of friendships/edges.

One approach to analyzing such data is to employ exponential random graph models (see, e.g., [35]), statistically fitting an underlying model for the presence of links. While such models (which can incorporate local network features) are potentially valuable for understanding the microscopic processes that underlie the links between individual nodes, we take a different approach, focusing on groups of friends that form structural “communities”—groups of nodes that contain more internal connections (links between nodes in the group) than external connections (between nodes of the group and nodes in other groups) [8, 33]. Our approach was motivated in part by the features of the Caltech data (discussed in detail in sections 3 and 4). Although precise results obviously vary from one model specification to another, performing a logistic regression on the dyads (pairs of nodes) yields comparable coefficient values

for link presence between users from the same “House” (the terminology for student residences at Caltech) and between users from the same high school [36]. However, there are significantly more users sharing the former than the latter at Caltech. While common high school is unsurprisingly important at the dyadic level (in the rare cases that it happens), common House affiliation is apparently much more important for understanding structures that consist of larger groups of individuals. Accordingly, our goal in this section is to discuss how to compare the composition of algorithmically-determined communities with that of groups defined by common user characteristics.

We identify communities using spectral optimization [29] (followed by supplementary Kernighan–Lin node-swapping steps [21]) of the “modularity” quality function $Q = \sum_i (e_{ii} - b_i^2)$, where e_{ij} denotes the fraction of ends of edges in group i for which the other end of the edge lies in group j and $b_i = \sum_j e_{ij}$ is the fraction of all ends of edges that lie in group i . High values of modularity correspond to community assignments with greater numbers of intracommunity links than would be expected at random (with respect to a particular null model [8, 29, 33]). Numerous other community detection methods are also available. However, our focus in the present paper is on studying communities after they are obtained, and our methods can be applied to the output of any community-detection algorithm in which each node is assigned to precisely one community. Such an assignment of nodes to communities constitutes a partition of the original graph. We seek a method to compare an algorithmically-obtained partition to partitions based on information that we have about Facebook user characteristics—class year, dormitory (House), high school, and major—as a means of exploring the roles of such characteristics in the social structures of each institution. An online social network is an imperfect proxy for an offline network, but our comparisons are nevertheless expected to yield interesting insights about the social life at the universities we study.

2.1. Visual Comparisons. The demographic composition of communities is sometimes clear from visual inspection. This is the case with the community structure of the Caltech network, which agrees closely with its undergraduate House system. In Figure 2.2, we show a force-directed layout of Caltech’s 12 communities (yielding a modularity of $Q \doteq 0.4003$), which we show as pies with area proportional to the number of constituent nodes. Purple slices signify individuals who did not identify a House affiliation.

Unlike the other four universities studied in section 4, we find that House affiliation is the primary organizing principle of the communities in the Caltech network, which is what we expected because Caltech’s House structure is so dominant socially.¹ Indeed, each pie in Figure 2.2 is dominated by members of one House. Moreover, many pies include a significant number of people who identify Avery House as their affiliation (dark blue), which is expected because of its different residency rules (members of all Houses could live in Avery at the time of this data). Given the promotion of Avery House to official House status after our data snapshot, it is natural to wonder whether community detection on current data would now find a community dominated by Avery. Investigating the formation of such a community using longitudinal data would be even more interesting, but is beyond the scope of our data. In principle, one can also make limited predictions based on the compositions of the communities about users who did not volunteer their House affiliation.

¹See the discussion at http://en.wikipedia.org/wiki/House_System_at_the_California_Institute_of_Technology.




Fig. 2.2 (Left) Force-directed layout of Caltech communities, each represented by a pie chart with area proportional to population and colored by House affiliation (with purple signifying missing information). (Right) Distribution of Rand coefficients comparing these 12 Caltech communities with random permutations of partitions into 9 House categories (including “Missing”). For comparison, we plot in red a Gaussian with the sample mean and variance. As our smallest data set, the Caltech network exhibits the most extreme deviation from the Gaussian in our permutation tests.

Despite this demonstration of the utility of visualizing communities, it is typically necessary to perform quantitative analyses after detecting communities, as Caltech is unusual among universities in having a single characteristic that aligns so closely with its communities. For other institutions, we observe more heterogeneous communities, and it is typically difficult to visually assess which characteristics best correlate with the communities or even whether there is any strong correlation at all. To investigate the social organization of communities at such universities, it is thus essential to quantitatively compare the detected communities with the available demographic groups. Such considerations apply broadly to community detection in most networks [33].

2.2. Pair Counting. As discussed in [20, 26], methods to compare graph partitions can be classified roughly into three categories: (1) pair-counting, (2) cluster-matching, and (3) information-theoretic techniques. Cluster matching might be particularly problematic in the present context, as the numbers and sizes of groups vary significantly, which makes the essential identifications across partitions rather difficult. We focus on a collection of pair-counting methods, in part because of their convenient algebraic description, as one just needs to count the ways that pairs of nodes are grouped across two partitions. That same simplicity can also be a weakness, as it can present a serious interpretation difficulty because of the unclear range of “good” scores. However, as we will show in section 2.3, standardization of pair-counting scores provides a unified interpretation of several seemingly disparate pair-counting measures and is particularly useful for the present setting. We also compare these results with those obtained using variation of information (VI) [26].

A pair-counting method defines a similarity score by counting each pair of nodes drawn from the n nodes of a network according to whether the pair falls in the same or in different groups in each partition. Pair-counting methods comprise a subset of a more general class of association measures that can be used for studying unordered (i.e., categorical) contingency tables [18, 22, 26]. We denote the counts of node pairs in each classification as w_{11} (pairs classified together in both partitions), w_{10} (the same

in the first but different in the second), w_{01} (different in the first but the same in the second), and w_{00} (different in both). The sum of these quantities is, by definition, equal to the total number M of node pairs: $M = w_{11} + w_{10} + w_{01} + w_{00} = \binom{n}{2} = n(n-1)/2$. Given two partitions of a network, one can obtain many different pair-counting similarity coefficients using different algebraic combinations of the $w_{\alpha\beta}$ counts.

We first consider the Rand similarity coefficient $S_R = (w_{11} + w_{00})/M$ [34], which counts the fraction of node pairs identified the same way by both partitions (either together in both or separate in both). Bounded between 0 (no similar pair placements) and 1 (identical partitions), the Rand coefficient is extremely intuitive and can be used fruitfully in many settings. However, it has an important deficiency: The Rand coefficient for two network partitions that each contain large numbers of categories is skewed toward the value 1 because of the large fraction of node pairs that are placed in different groups even when comparing two partitions with little in common.

If one wishes to exclude w_{00} from having an explicit role, one can use the Jaccard index $S_J = w_{11}/(w_{11} + w_{10} + w_{01})$ or the Fowlkes–Mallows similarity coefficient $S_{FM} = w_{11}/\sqrt{(w_{11} + w_{10})(w_{11} + w_{01})}$. Both S_J and S_{FM} clearly avoid the problematic effects of large w_{00} , but their ignorance of node pairs classified similarly into different communities yields overly high values when comparing network partitions with very few categories (or when one partition consists of a single group). Another index is the Minkowski coefficient $S_M = \sqrt{(w_{10} + w_{01})/(w_{10} + w_{11})}$, which is asymmetric in its consideration of the two partitions. The first partition serves as a distinguished reference, with S_M based on the count of mismatches relative to the number of node pairs placed together in that reference. Hence, S_M -values closer to 0 indicate closer agreement. The Γ similarity coefficient, defined as

$$S_\Gamma = \frac{Mw_{11} - (w_{11} + w_{10})(w_{11} + w_{01})}{\sqrt{(w_{11} + w_{10})(w_{11} + w_{01})[M - (w_{11} + w_{10})][M - (w_{11} + w_{01})]}}$$

has the most complicated algebraic form of the similarity coefficients that we employ. Additional measures and discussions are available in [7, 19, 26]. Notably, each S_i measure suffers from the difficulty that it is unclear what constitute “good” values, as they all depend intimately on the numbers and sizes of the groups in the partitions. (We illustrate this in section 4 with computations for the Caltech network and discuss further properties of the similarity indices in section 2.3.)

One can try to alleviate the problem of identifying good similarity values by introducing various “adjusted” indices that report comparisons as a similarity relative to that which might be obtained at random. For instance, one can construct adjusted indices by subtracting the expected value (under some null model, typically conditional on maintaining the numbers and sizes of groups in the two partitions) and then rescaling the result by the difference between the maximum allowed value and the mean value [18]. One such index, using a bound on the maximum allowed value, is the adjusted Rand coefficient [18]

$$S_{AR} = \frac{w_{11} - \frac{1}{M}(w_{11} + w_{10})(w_{11} + w_{01})}{\frac{1}{2}[(w_{11} + w_{10}) + (w_{11} + w_{01})] - \frac{1}{M}(w_{11} + w_{10})(w_{11} + w_{01})}$$

As described in [26], adjusted indices can be problematic because the focus on the maximum possible values does not guarantee accurate comparisons between similarity coefficients across different settings. In particular, this implies that one cannot

necessarily use similarity scores to make direct comparisons between communities and House and between communities and high school (which is something that we specifically aim to do). That is, even if such comparisons yield adjusted Rand values of 0.1 and 0.2, it is not at all clear that the second situation should be construed to yield a more similar pair of partitions than the first. Consequently, the general problem of knowing what similarity-score values indicate a good correlation remains.

2.3. Standardized Pair Counting. Numerous studies have attempted to assess the utility of similarity measures. However, because a partition specified by common demographic traits typically differs significantly from that obtained using algorithmic community detection, we use a classical statistical approach, advocated in [3, 9], in which similarity measures are used to test significance levels of the obtained values versus those expected at random. We recommend using a proper metric (i.e., a quantity that is a metric in the mathematical sense rather than only in an informal sense) such as VI [26] for comparing partitions that are close to one another. However, in the Facebook networks, the mutual information of a pair of partitions is small compared to the total information in each. In such cases, two partitions can be relatively far from each other according to a distance measure but might nevertheless be very far in the tail of the distribution of what can be expected at random. It is consequently more appropriate to identify the pair-counting strength relative to that obtained at random, standardized by the width of the distribution via z -scores $z_i = (S_i - \mu_i)/\sigma_i$, in terms of the mean μ_i and standard deviation σ_i in some model ($i \in \{\text{FM}, \Gamma, \text{J}, \text{M}, \text{R}, \text{AR}\}$; one multiplies by -1 for z_{M} , so positive values indicate partitions that are more similar than average).

One can obtain z -scores nonparametrically using permutation tests [14], though we will identify analytical formulas for z_{R} and show that the Fowlkes–Mallows, Γ , Rand, and adjusted Rand z -scores are identical. The element n_{ij} of the contingency table indicates the number of nodes that are classified into the i th group of the first partition and the j th group of the second partition. As long as partitions are constrained to have the same numbers and sizes of groups as the original partitions—i.e., as long as the row and column sums, $n_{i\cdot} = \sum_j n_{ij}$ and $n_{\cdot j} = \sum_i n_{ij}$, remain constant—then the total number of pairs M , the number of pairs $M_1 = \sum_i \binom{n_{i\cdot}}{2}$ classified the same way in the first partition, and the analogous quantity $M_2 = \sum_j \binom{n_{\cdot j}}{2}$ for the second partition likewise remain constant. This implies that any pair-counting index specified by $w_{\alpha\beta}$ counts can be equivalently specified in terms of only $w := w_{11} = \sum_{ij} \binom{n_{ij}}{2}$, because $w_{10} = M_1 - w$, $w_{01} = M_2 - w$, and $w_{00} = M - M_1 - M_2 + w$. It follows immediately that S_{R} , S_{FM} , S_{Γ} , and S_{AR} are each linear functions of w and hence linear functions of each other [19]. Any similarity index S_i that is a linear function of w must be statistically equivalent to w in any null model (given constant M , M_1 , and M_2), with the z -score and p -value equal to that associated with the specified w . Meanwhile, as we demonstrate in section 4, the S_i -values can have different orderings in different comparisons because of their dependence on M , M_1 , and M_2 .

It is also instructive to note the relationships between the linear-in- w similarity coefficients and the Jaccard and Minkowski indices: $1/S_{\text{J}} = -1 + (M_1 + M_2)/w$ and $S_{\text{M}}^2 = (M_1 + M_2 - 2w)/M_1$. The asymmetry in the Minkowski index is clearly limited: changing the reference partition only swaps the roles of M_1 and M_2 . Because the square root and multiplicative inverse are both monotonic operations in the domains of these indices ($S_{\text{M}} > 0$ and $0 \leq S_{\text{J}} \leq 1$), it follows that the p -values of the cumulative distributions of each are identical to the p -value of w itself, even though the corresponding z -scores can be different.

In deference to the seminal presentation of the Rand index in [34], we refer to the z -score of the linear-in- w scores as z -Rand: $z_R = (w - \mu_w)/\sigma_w$, where μ_w and σ_w are, respectively, the mean and standard deviation of w (noting its equivalence by linearity to the z -score advocated explicitly by Brennan and Light [3]). In the absence of external information that indicates a need to impose specific correlations, we adopt the standard and analytically tractable assumption of a random hypergeometric distribution of equally likely assignments subject to fixed row and column sums. The expected value then becomes $\mu_w = M_1M_2/M$, as for the adjusted Rand index [18]. The calculation of higher-order moments is more involved [3, 4, 17, 24]. In order to make z_R as simple as possible to calculate, we rewrite the formulas of [17] as follows:

$$(2.1) \quad z_R = \frac{1}{\sigma_w} \left(w - \frac{M_1M_2}{M} \right),$$

$$(2.2) \quad \sigma_w^2 = \frac{M}{16} - \frac{(4M_1 - 2M)^2(4M_2 - 2M)^2}{256M^2} + \frac{C_1C_2}{16n(n-1)(n-2)} \\ + \frac{[(4M_1 - 2M)^2 - 4C_1 - 4M][(4M_2 - 2M)^2 - 4C_2 - 4M]}{64n(n-1)(n-2)(n-3)},$$

$$(2.3) \quad C_1 = n(n^2 - 3n - 2) - 8(n+1)M_1 + 4 \sum_i n_i^3, \\ C_2 = n(n^2 - 3n - 2) - 8(n+1)M_2 + 4 \sum_j n_j^3.$$

Although we advocate the use of z_R , the associated significance levels (equivalently, the p -values of the cumulative distribution) are not equal to those for a Gaussian distribution. The distribution for large samples is asymptotically Gaussian [22], but the distribution associated with comparing a particular pair of partitions need not be. Indeed, the tails of the distribution can be quite heavy [4], so the probability of obtaining extreme z -scores can be orders of magnitude higher than in the normal distribution. Nevertheless, the Gaussian approximation is frequently sufficient to gauge statistical significance (past the 95% confidence interval). Given the straightforward calculation of (2.1)–(2.3), we prefer to use z_R directly, with the caveat that the Rand indices do not translate directly to p -values.

Where simple formulas for the necessary moments do not appear to be available (i.e., for the Jaccard and Minkowski indices), we resort to the computationally straightforward (albeit intensive if one desires high accuracy) method of examining distributions obtained using permutation tests [14], again under the null model of equally likely node assignments conditional on the constancy of the numbers and sizes of groups. Specifically, starting from two network partitions whose similarity we want to measure, we calculate S_i -values and obtain a context for these values by repeatedly computing S_i under random permutation of the node assignments in one of the partitions. (Subsequent permutation of assignments in the second partition is redundant.) We thereby aim to compare the similarity coefficients for this partition pair to the distributions of such coefficients from the appropriate ensemble of partition pairs. Numerical estimation of p -values far in the tail of the distribution (where many of our points of interest lie) necessarily requires sampling a correspondingly large number of elements. In contrast, calculating z -scores only requires sampling the

first two moments of the distribution. We typically use 10000 permutations (even for the larger networks, where the number of nodes is actually larger than the number of permutations considered), confirming that the obtained z -scores have converged to roughly two significant figures by comparing them with those obtained using half of the permutations and also comparing z_R estimates with the analytical values obtained from (2.1)–(2.3).

Of course, calculating z -scores of the pair-counting indices is not a panacea, particularly when comparing networks of different sizes. Nevertheless, we find them to be exceptionally useful for examining the correlations between algorithmically identified communities and demographically determined partitions. Before we concentrate on using these z -scores to measure correlations, we compare test results (similar to those discussed in section 4) against other methods, including VI [26] and the (nonstandardized) adjusted Rand index S_{AR} [18] using a scatter plot versus z_R in Figure 2.3. Although S_{AR} trends positively with z_R (recall that $z_R = z_{AR}$), there are clearly situations with very small S_{AR} that have much larger z_R than should be expected at random. We additionally observe that z_J and z_M each appear to be closely approximated by z_R at the scale of Figure 2.3, though closer inspection reveals relative differences occasionally as large as 10%.




Fig. 2.3 Scatter plot of z_R (the Rand z -score) on the horizontal axis versus (on the vertical axis) other pair-counting z -scores (z_J and z_M), VI, a VI z -score from permutation tests, and the adjusted Rand index S_{AR} . The depicted data comes from 60 situations: algorithmically-detected communities for the 5 universities using 4 demographic groupings and 3 networks per university (full data and gender-restricted networks of women only and men only).

We admit that we are questionably guilty of one of the major sins of statistical analysis, in that z -scores are typically a proxy for the likelihood with which one can reject an independent null hypothesis. It is thus reasonable to question their effectiveness for the quite different task of measuring a correlation. We stress, however, that the underlying statistic that we have standardized is a pair counting of the

similarities between partitions rather than a χ^2 deviation from independence. (We note that w reduces to a linear function of χ^2 in the special case of uniform constant marginals [4].) Therefore, in the absence of enforcing a particular model for the form of the correlation between partitions, we believe this standardization of similarity scores is a reasonable way to proceed (if done with caution).

3. Data. Our data, which was sent directly to us by Adam D'Angelo of Facebook, consists of the complete set of users (nodes) from the Facebook networks for each of five U.S. universities and all of the links between those users' pages for a single-time snapshot from September 2005. Similar snapshots of Facebook data from 10 Texas universities were analyzed recently in [25], and a snapshot from "a diverse private college in the Northeast U.S." was studied in [23]. Other studies of Facebook have typically obtained data either through surveys [2] or through various forms of automated sampling [12], and thus they tend to contain missing nodes and links that can strongly impact the resulting graph structures and analyses.

We consider only ties between people at the same institution, which yields five separate realizations of university social networks and allows us to compare the structures at different institutions. Our study includes a small technical institute (Caltech), a pair of private universities (Georgetown University and Princeton University), and a pair of large state universities (University of Oklahoma and University of North Carolina at Chapel Hill (UNC)).




Fig. 3.1 Cumulative degree distributions (top panels) and local clustering coefficients (bottom panels) for the five university networks. We employ semilogarithmic coordinates. The horizontal axes give the degree relative to the mean degree $\langle k \rangle$, and we only display data for $k/\langle k \rangle \leq 8$ to provide common axes for all universities.

We summarize basic properties of the university networks in Figure 3.1 and Table 3.1. See [28, 30] and references therein for discussions of the measures that we use in this section. Although our focus in this paper is community structure, we remark that even these simple network characteristics can yield insights about Facebook networks. The mean degrees tend to increase with network size, though this trend is clearly influenced by the Caltech data. The degree distributions of these institutions (plotted in the top panels of Figure 3.1) have heavy tails compared to Erdős–Rényi random graphs. In particular, the degree distributions appear to be approximately exponential. Although the mechanisms driving such distributions are impossible to ascertain without longitudinal data, the roughly exponential form of the degree distribution both above and below the mean degree potentially indicates a wide range in the willingness to participate (i.e., to add online friends) among Facebook users.

Table 3.1 *Basic characteristics of the largest connected components of the five Facebook networks that we study (and also the total number of nodes in the original data): numbers of nodes and edges in the largest connected component, mean degree, mean clustering coefficient, transitivity (fraction of transitive triples), assortativities (by degree, gender, major, dormitory, class year, and high school), number of communities detected, and the modularity of the resulting graph partition. In calculating the assortativities, we ignored nodes for which the corresponding demographic characteristic is missing (i.e., the “pair-wise removal” protocol that we discuss in section 4). We treat class year as a categorical variable, and we calculate degree assortativity as a correlation coefficient [28,30].*

Institution	Caltech	Georgetown	Oklahoma	Princeton	UNC
Nodes	1099	12195	24110	8555	24780
Connected nodes	762	9388	17420	6575	18158
Connected edges	16651	425619	892524	293307	766796
Mean degree	43.7	90.7	102.5	89.2	84.5
Mean clustering coeff.	0.4091	0.2249	0.2297	0.2372	0.2020
Transitivity	0.2913	0.1485	0.1587	0.1639	0.1156
Degree assortativity	-0.0662	0.0753	0.0737	0.0910	6.6×10^{-5}
Gender assortativity	0.0540	0.0145	0.1118	0.0650	0.0598
Major assortativity	0.0382	0.0439	0.0412	0.0474	0.0511
Dormitory assortativity	0.4486	0.1725	0.4033	0.0872	0.2024
Year assortativity	0.2694	0.5575	0.2923	0.4947	0.3964
High School assortativity	0.0021	0.0237	0.1583	0.0197	0.1342
Number of communities	12	33	5	12	5
Modularity	0.4003	0.4801	0.3869	0.4527	0.4274

The bottom panels of Figure 3.1 compare node degree versus clustering coefficient,

$$C_i = \frac{\text{number of pairs of neighbors of node } i \text{ that are connected}}{\text{number of pairs of neighbors of node } i}.$$

We note that even heavy users have much larger local clustering than that expected at random (e.g., when compared with the total graph densities). In Table 3.1, we indicate each network’s mean clustering coefficient and transitivity, given by the fraction of connected triples in the network that are fully connected triangles. Both measures of local clustering are much larger at Caltech than they are at the other institutions. It is, of course, not surprising that we observe large transitivities in social networks such as the Facebook networks. Nevertheless, as we have shown recently in [27], tree-based theories of various dynamical processes appear to be valid for Facebook networks (despite their high clustering, implying that they are most definitely not locally tree-like) because they are “sufficiently small” worlds, in that the mean distance between pairs of nodes is close to the expected value obtained in random networks with the same joint degree-degree distributions.

The data also includes limited demographic information provided by users on their individual pages: gender, class year, and data fields that represent (using numerical identifiers) high school, major, and dormitory residence (or House at Caltech, for which we additionally have dormitory names). In situations in which individuals elected not to volunteer a demographic characteristic, we use an additional “Missing” label. These characteristics allow us to make comparisons between different universities, under the assumption (per the discussion in [2]) that the communities and other elements of structural organization in Facebook networks reflect (even if imperfectly) the social communities and organization of the offline networks on which they are based.

For instance, at the level of individual ties, the tendency for users to be friends with other users who have similar characteristics can be quantified by the assortativity of the links relative to that characteristic. Degree assortativity (or degree correlation) can be calculated as the Pearson correlation coefficient of the degrees at the two ends of the edges. Although many social networks tend to be positively assortative with respect to degree, we find that the degree assortativity is negative for Caltech and is very small for UNC. A measure of scalar assortativity relative to a categorical variable is given by

$$(3.1) \quad r = \frac{\text{tr}(\mathbf{e}) - \|\mathbf{e}^2\|}{1 - \|\mathbf{e}^2\|} \in [-1, 1],$$

where $\mathbf{e} = \mathbf{E}/\|\mathbf{E}\|$ is the normalized mixing matrix, the elements E_{ij} give the number of edges in the network that connect a node of type i (e.g., a person with a given major) to a node of type j , and the entrywise matrix 1-norm $\|\mathbf{E}\|$ is equal to the sum of all entries of \mathbf{E} . Comparing assortativities for various categories shows, for example, that assortativity by dormitory and class year (treated as a categorical variable) are high for all five institutions; assortativities by major are low for all five institutions; and assortativities by high school and gender are less consistent across institutions. The relative sizes of the different assortativities also vary across institutions, which is similar to what we will see below with communities. Going beyond this measure of local assortativity by characteristics, our major focus for this article is on the organization of the communities of these five Facebook networks based on these various categories. We discuss this in detail in section 4.

4. Facebook Communities. We algorithmically identify a set of communities in the largest connected component of each institution's network using a modified version of Newman's leading-eigenvector method [29] in conjunction with subsequent Kernighan–Lin node-swapping steps [21]. We then compare these communities to partitions obtained by grouping users according to each of the self-identified characteristics: major, class year, high school, and dormitory/House.

We first revisit Caltech's community structure, which we examined visually in Figure 2.2. The partition of the largest connected component into 12 communities (which has modularity $Q \doteq 0.4003$) exhibits a strong correlation with House affiliation. To investigate this quantitatively, we calculate the similarity coefficients of this partition versus each partition constructed using one of the four available user characteristics (see Table 4.1). The raw S_i -values appear to be insufficient to the task of comparing these communities. Specifically, the ordering of the correlation strengths with the different demographics is not consistent across pair-counting indices, even among those we know to be linear transformations of one another. Additionally, although there is agreement that the correlation with House is strongest, the S_i -values differ wildly in how much they set apart the House correlation, with S_R and S_M seemingly indicating that the correlation with House is only marginally stronger than that with high school, even though Caltech contains very few students at one time who come from the same high school.

These apparent disagreements in interpretation for different S_i -values occur even though we know that their corresponding p -values are identical. Although we cannot directly calculate those p -values, the z -scores for each characteristic (see section 2.3) in Table 4.1 indicate that the correlation with high school is the only one of the four demographic characteristics that is not statistically significant. We note that the ordering of the VI-scores in Table 4.1 is consistent with that of the z -scores but

Table 4.1 Similarity coefficients (adjusted Rand, Fowlkes–Mallows, Γ , Jaccard, Minkowski, and Rand), VI, and similarity z -scores for comparing a 12-community partition of the Caltech data versus a partition constructed using each of the four self-identified user characteristics.

	S_{AR}	S_{FM}	S_{Γ}	S_J	S_M	S_R	VI	z_J	z_M	z_R
Major	0.0063	0.1195	0.0070	0.0576	1.1238	0.7785	4.3149	3.96	3.95	3.96
House	0.3762	0.4742	0.3829	0.3056	0.9578	0.8391	1.9275	249	226	198
Year	0.0080	0.1766	0.0080	0.0968	1.2637	0.7199	3.5191	6.84	6.82	6.73
H.S.	0.0085	0.0833	0.0129	0.0301	1.0484	0.8072	4.7268	-0.55	-0.55	-0.55

Table 4.2 Numbers of nodes of each data set used in the different protocols for treating missing data.

	Connected users	Indicated major	Indicated dorm/House	Indicated year	Indicated high school	Indicated all
Caltech	762	687	594	651	633	499
Georgetown	9388	7510	6594	8374	7562	4774
Oklahoma	17420	15779	7203	13732	14998	5510
Princeton	6575	4940	4355	5801	5214	2920
UNC	18158	15492	8989	15883	15414	6719

recall that such agreement of ordering is not consistently observed in Figure 2.3. Importantly, the z -scores provide a consistent interpretation of the roles of the four characteristics in the Caltech data: House is most important, followed distantly by year and major (in descending order), and there is no significant correlation with high school. Because of the close agreement between the z -scores in Figure 2.3 and Table 4.1, we henceforth restrict attention to the analytically obtained z_R -scores.

Before concluding our discussion of Caltech, we acknowledge the potentially important effects of missing demographic data, as a significant number of users did not volunteer an affiliation (as indicated in Table 4.2 and by the purple wedges of Figure 2.2). One can approach the issue of missing data using sophisticated tools such as multiple imputation, likelihood, or weighting methods [16]. A simpler approach is to investigate the effects on the measured correlations by various restrictions of the data. We consider three such protocols: inclusion, pairwise removal, and listwise removal. Inclusion, which we use in Table 4.1, treats the missing labels like any other category, erroneously grouping all such users together in the demographic partition. We apply pairwise removal separately for each demographic comparison with the community structure. In terms of a contingency table of r demographic rows and c community columns, this amounts to a deletion of the row corresponding to “Missing.” Listwise removal restricts the comparisons to the subset of users who volunteered all four of the studied demographic characteristics. We stress that these protocols do not affect the community assignments, which we obtained using the complete network data. Other restrictions of this data (such as single-gender restrictions) can also be fruitfully explored, but such investigations are beyond the scope of the present article.

In Table 4.3, we present the z_R -scores for all four community-demographic comparisons using each of the three missing data protocols at the five universities we study. We caution that because of network-size effects, z -score values cannot typically be directly compared across institutions. Accordingly, our primary conclusions are about the statistical significances and rank orderings of the demographic correlations separately in each university. Our previous conclusions about the Caltech

Table 4.3 Analytically obtained z_R -scores for comparing the algorithmically identified communities of Facebook networks versus user characteristics. Cases where users did not volunteer demographic characteristics are treated by three protocols: inclusion, pairwise removal, and listwise removal.

	Caltech	Georgetown	Oklahoma	Princeton	UNC
Inclusion: Major	3.962	5.885	3.799	15.03	8.044
Dorm/House	200.8	148.8	71.00	58.26	113.0
Year	6.727	1543	206.7	1058	778.2
High School	-0.553	26.13	18.50	15.62	15.93
Pairwise: Major	4.051	16.00	16.44	9.968	5.700
Dorm/House	285.3	212.9	186.9	147.2	93.34
Year	5.389	1837	286.1	1270	889.1
High School	0.7695	4.247	22.54	2.888	37.22
Listwise: Major	2.235	15.23	26.10	10.07	13.90
Dorm/House	248.9	221.5	159.9	116.5	90.50
Year	2.644	1913	251.2	997.3	475.7
High School	0.3063	1.228	13.69	2.415	21.12

community structure remain almost perfectly consistent across all three missing data protocols: House is most strongly correlated with the communities, followed distantly by year and major (in descending order), and there is no statistically significant correlation with high school. Although House affiliation remains strongly correlated with communities in all three protocols, the correlation with year and major appears to be only marginally statistically significant in the analysis with listwise removal.

In contrast with Caltech, the communities at each of the other four institutions that we study correlate primarily with class year (see Table 4.3). Moreover, these correlations are not as dominant as House is at Caltech, as each of the four characteristics possess statistically significant correlations with the community structures at the other four institutions (except high school in listwise removal at Georgetown). We show the 12 algorithmically computed Princeton communities, colored both by class year and by major, in Figure 4.1. Compared with the strong correlation between communities and House affiliation at Caltech, these visual depictions of the Princeton communities do not seem to indicate as strong a correlation with year despite the very large corresponding z_R (which again cautions against direct comparison of z_R -scores in networks of different sizes). We remark that the size of the Princeton data set, with over 8500 nodes (6575 in the largest connected component) is disproportionately large relative to the institution's size; this is presumably a result of the relatively early Facebook adoption at Princeton.

The z -scores in Table 4.3 reveal that Princeton students break up into communities primarily according to class year (among the four demographic categories available to us), and dormitory gives the second highest correlation. While major is also significant, the correlation with high school appears to be only marginally significant in protocols that remove missing data. One can draw similar conclusions about Georgetown from Table 4.3; the only qualitative difference is the possible lack of significance of high school at Georgetown (as compared to its marginal significance at Princeton) that is suggested by the more stringent missing-data protocols.

Similarly, the z -scores calculated for the UNC network partitioned into five communities suggest that class year is the primary organizing characteristic and that dormitory residence is also prominent. High school and major have smaller but significant positive correlations with the community structure. The other large state university that we consider is the University of Oklahoma, which is also partitioned




Fig. 4.1 Pie charts of Princeton, colored by (left) class year and (right) major. (As before, purple slices correspond to people who did not identify the relevant characteristic.)

into five communities. Like UNC, the dominant correlation of the Oklahoma communities is with year, the secondary correlation is with dormitory, and both high school and major have statistically significant correlations. Unlike UNC, however, the disparity between the correlations with year and with dormitory do not appear to be as wide at Oklahoma. In contrast to Princeton and Georgetown, communities at both UNC and Oklahoma maintain unquestionably significant correlations with high school in both missing-data protocols.

We close this section by cautioning about interpretations of conclusions drawn from the numbers in Table 4.3, even though they indicate some interesting differences among the institutions that we studied. In particular, one should of course be careful about how such numbers might be influenced by our methodologies. Although we have provided three different protocols for handling missing data, others are also worth studying. For instance, one should be wary of the possible influence of the selected definition of “community” and the method of its detection. There are numerous definitions and methods available (again, see [8, 33]), and a more definitive investigation of the connections between communities and characteristics in such networks should more fully explore multiple notions of community.

As a simple example of comparing results from different community-detection methods, we compare the 12-community Caltech partition with that obtained for a 7-community partition (with $Q \doteq 0.3594$) identified by the spectral method without Kernighan–Lin steps. Despite the necessarily different details of these two community structures, the qualitative conclusions from the two partitions are the same: House provides the dominant correlation, followed distantly by year and major, and there is again no significant correlation with high school. Applying this same “weaker” (in the sense of consistently resulting in partitions of lower modularity) community-detection implementation to the other four institutions also typically agrees with the results that we report above: Year has the strongest correlation with communities, and it is followed by dormitory. The role of high school appears to be more pronounced in these lower-modularity partitions, as one obtains statistically significant correlations

with the communities at Georgetown and Princeton and even stronger correlations with the communities at UNC and Oklahoma.

We also stress the difference between causation and correlation. In this paper, we have examined *correlations*. As discussed in the sociological literature on SNSs (see [2] and references therein), it is obviously very interesting and important to attempt to discern which common characteristics have resulted from friendships and which ones might perhaps influence the formation of friendships. In terms of the individual characteristics discussed above, high school and class year are known prior to the formation of these Facebook links, so one would expect those particular correlations to also indicate how some friendships might have formed. Common residences and majors, on the other hand, can both encourage new friendships and arise because of them. We note, finally, that SNS friendships provide only a surrogate for offline ones, so that one might also expect to find some differences between the community structures of Facebook networks and the offline networks that they reflect [2].

5. Conclusions. We have demonstrated that investigation of community structure is useful for studying the online social networks of universities and inferring interesting insights about the prominent driving forces of community development in their corresponding offline social networks. We examined various measures for comparing algorithmically identified communities in Facebook networks with those obtained by grouping individuals according to self-identified characteristics. We found that z -scores of pair-counting indices provide an effective (though not quantitatively perfect) interpretation about the likelihood that such values might arise at random, as they indicate significant correlations between the algorithmically identified communities and multiple self-identified characteristics. Such calculations indicate that the organizational structure at Caltech, which depends very strongly on House affiliation, is starkly different from those of the other universities that we studied. Even at Caltech, however, the observed heterogeneity of the communities underscores the important point that social networks typically have multiple organizational forces [33]. We hope that our work leads to comparative studies that might increase understanding about the different factors that influence the structure of social organizations. The present paper attempts to provide foundational steps for such comparative investigations by conveying a meaningful methodology.

Acknowledgments. We thank Adam D'Angelo and Facebook for providing the data used in this study. We also acknowledge Skye Bender-deMoll, Danah Boyd, Barry Cipra, Barbara Entwisle, Katie Faust, Avi Feller, Dan Fenn, James Gleeson, Sandra González-Bailón, Justin Howell, Nick Jones, Franziska Klingner, Marco van der Leij, Tom Maccarone, Jim Moody, Mark Newman, Andy Shaindlin, and Ashton Verdery for useful discussions. We are especially indebted to Aaron Clauset and James Fowler for thorough readings of a draft of this manuscript and to Christina Frost for developing some of the graph visualizations we used.²

REFERENCES

- [1] D. BOYD, *Why youth (heart) social network sites: The role of networked publics in teenage social life*, in MacArthur Foundation Series on Digital Learning: Youth, Identity, and Digital Media Volume, D. Buckingham, ed., MIT Press, Cambridge, MA, 2007, pp. 119–142.

²The code is available at <http://netwiki.amath.unc.edu/VisComms>.

- [2] D. M. BOYD AND N. B. ELLISON, *Social network sites: Definition, history, and scholarship*, J. Computer-Mediated Comm., 13 (2008), pp. 210–230.
- [3] R. L. BRENNAN AND R. J. LIGHT, *Measuring agreement when two observers classify people into categories not defined in advance*, British J. Math. Statist. Psych., 27 (1974), pp. 154–163.
- [4] R. J. BROOK AND W. D. STIRLING, *Agreement between observers when the categories are not specified in advance*, British J. Math. Statist. Psych., 37 (1984), pp. 271–282.
- [5] G. CALDARELLI, *Scale-Free Networks: Complex Webs in Nature and Technology*, Oxford University Press, Oxford, 2007.
- [6] T. CALLAGHAN, P. J. MUCHA, AND M. A. PORTER, *Random walker ranking for NCAA division I-A football*, Amer. Math. Monthly, 114 (2007), pp. 761–777.
- [7] R. J. G. B. CAMPELLO, *A fuzzy extension of the Rand index and other related indexes for clustering and classification assessment*, Pattern Recognition Lett., 28 (2007), pp. 833–841.
- [8] S. FORTUNATO, *Community detection in graphs*, Phys. Rep., 486 (2010), pp. 75–174.
- [9] E. B. FOWLKES AND C. L. MALLOWS, *A method for comparing two hierarchical clusterings*, J. Amer. Statist. Assoc., 78 (1983), pp. 553–569.
- [10] T. M. J. FRUCHTERMAN AND E. M. REINGOLD, *Graph drawing by force-directed placement*, Software—Practice and Experience, 21 (1991), pp. 1129–1164.
- [11] M. GIRVAN AND M. E. J. NEWMAN, *Community structure in social and biological networks*, Proc. Natl. Acad. Sci., 99 (2002), pp. 7821–7826.
- [12] M. GJOKA, M. KURANT, C. T. BUTTS, AND A. MARKOPOULOU, *Walking in Facebook: A case study of unbiased sampling of OSNs*, in Proceedings of IEEE INFOCOM 10, San Diego, CA, 2010.
- [13] M. C. GONZÁLEZ, H. J. HERRMANN, J. KERTÉSZ, AND T. VICSEK, *Community structure and ethnic preferences in school friendship networks*, Phys. A, 379 (2007), pp. 307–316.
- [14] P. GOOD, *Permutation, Parametric, and Bootstrap Tests of Hypotheses*, Springer-Verlag, New York, NY, 2005.
- [15] R. GUIMERÀ AND L. A. N. AMARAL, *Functional cartography of complex metabolic networks*, Nature, 433 (2005), pp. 895–900.
- [16] N. J. HORTON AND K. P. KLEINMAN, *Much ado about nothing: A comparison of missing data methods and software to fit incomplete data regression models*, Amer. Statist., 61 (2007), pp. 79–90.
- [17] L. HUBERT, *Nominal scale response agreement as a generalized correlation*, British J. Math. Statist. Psych., 30 (1977), pp. 98–103.
- [18] L. HUBERT AND P. ARABIE, *Comparing partitions*, J. Classification, 2 (1985), pp. 193–218.
- [19] A. K. JAIN AND R. C. DUBES, *Algorithms for Clustering Data*, Prentice-Hall, Englewood Cliffs, NJ, 1988.
- [20] B. KARRER, E. LEVINA, AND M. E. J. NEWMAN, *Robustness of community structure in networks*, Phys. Rev. E, 77 (2008), article 046119.
- [21] B. W. KERNIGHAN AND S. LIN, *An efficient heuristic procedure for partitioning graphs*, Bell System Tech. J., 49 (1970), pp. 291–307.
- [22] E. KULISNKAYA, *Large sample results for permutation tests of association*, Comm. Statist. Theory Methods, 23 (1994), pp. 2939–2963.
- [23] K. LEWIS, J. KAUFMAN, M. GONZALEZ, M. WIMMER, AND N. A. CHRISTAKIS, *Tastes, ties, and time: A new (cultural, multiplex, and longitudinal) social network dataset using Facebook.com*, Social Networks, 30 (2008), pp. 330–342.
- [24] N. MANTEL, *The detection of disease clustering and a generalized regression approach*, Cancer Res., 27 (1967), pp. 209–220.
- [25] A. MAYER AND S. L. PULLER, *The old boy (and girl) network: Social network formation on university campuses*, J. Public Econom., 92 (2008), pp. 328–347.
- [26] M. MEILĀ, *Comparing clusterings—an information based distance*, J. Multivariate Anal., 98 (2007), pp. 873–895.
- [27] S. MELNIK, A. HACKETT, M. A. PORTER, P. J. MUCHA, AND J. P. GLEESON, *The unreasonable effectiveness of tree-based theory for networks with clustering*, Phys. Rev. E, 83 (2011), article 036112.
- [28] M. E. J. NEWMAN, *The structure and function of complex networks*, SIAM Rev., 45 (2003), pp. 167–256.
- [29] M. E. J. NEWMAN, *Finding community structure in networks using the eigenvectors of matrices*, Phys. Rev. E, 74 (2006), article 036104.
- [30] M. E. J. NEWMAN, *Networks: An Introduction*, Oxford University Press, Oxford, 2010.
- [31] J.-P. ONNELA, J. SARAMÄKI, J. HYVÖNEN, G. SZABÓ, D. LAZER, K. KASKI, J. KERTÉSZ, AND A.-L. BARABÁSI, *Structure and tie strengths in mobile communication networks*, Proc. Natl. Acad. Sci., 104 (2007), pp. 7332–7336.

- [32] M. A. PORTER, P. J. MUCHA, M. NEWMAN, AND C. M. WARMBRAND, *A network analysis of committees in the United States House of Representatives*, Proc. Natl. Acad. Sci., 102 (2005), pp. 7057–7062.
- [33] M. A. PORTER, J.-P. ONNELA, AND P. J. MUCHA, *Communities in networks*, Notices Amer. Math. Soc., 56 (2009), pp. 1082–1097, 1164–1166.
- [34] W. M. RAND, *Objective criteria for the evaluation of clustering methods*, J. Amer. Statist. Assoc., 66 (1971), pp. 846–850.
- [35] G. ROBINS, P. PATTISON, Y. KALISH, AND D. LUSHER, *An introduction to exponential random graph (p^*) models for social networks*, Social Networks, 29 (2007), pp. 173–191.
- [36] A. L. TRAUD, P. J. MUCHA, AND M. A. PORTER, *Social Structure of Facebook Networks*, preprint, 2011; available online from <http://arxiv.org/abs/1102.2166>.
- [37] S. WASSERMAN AND K. FAUST, *Social Network Analysis: Methods and Applications*, Structural Analysis in the Social Sciences, Cambridge University Press, Cambridge, UK, 1994.
- [38] A. S. WAUGH, L. PEI, J. H. FOWLER, P. J. MUCHA, AND M. A. PORTER, *Party Polarization in Congress: A Network Science Approach*, preprint, 2011; available online from <http://arxiv.org/abs/0907.3509>.
- [39] Y. ZHANG, A. J. FRIEND, L. TRAUD, A., M. A. PORTER, J. H. FOWLER, AND P. J. MUCHA, *Community structure in Congressional cosponsorship networks*, Phys. A, 387 (2008), pp. 1705–1712.